



bisphenol A

According to the Centers for Disease Control and Prevention, more than 90% of Americans have levels of BPA in their bodies.

What is bisphenol A?

Bisphenol A (BPA), found in the 1930s to be a synthetic estrogen and considered for use as a pregnancy aid¹, is now a high-volume production chemical used to make epoxy resin and polycarbonate plastic. Approximately 7 billion pounds of BPA is produced globally each year for use in baby bottles, dental sealants, compact discs, water bottles, food cans, and a large variety of other items.²

BPA in our bodies

Due to the widespread use of BPA, human and environmental exposure to the chemical is prevalent. According to the Centers for Disease Control and Prevention (CDC), more than 90% of Americans have detectable levels of BPA in their bodies, and children have higher concentrations of BPA in their bodies than adolescents and adults.³ Prenatal exposure to BPA is also significant as the chemical can be absorbed and distributed in the fetus through the placenta.⁴

Sources of Exposure

Human exposure to BPA comes primarily from contaminated food and beverages.⁵ Food and beverage packaging made with BPA – such as plastic bottles, metal cans, and reusable storage containers – can leach the chemical into food and drinks. A study by the Harvard School of Public Health found that concentrations of BPA in urine increased by 69% when polycarbonate water bottles were used for cold beverages during the course of a week.⁶ BPA can also leach from infant formula cans and heated baby bottles, the primary source of exposure to the chemical for newborns and infants.⁷

Quick Facts on BPA

BPA is a synthetic estrogen that was first considered for use as a pregnancy aid.

BPA is now used in baby bottles, food cans, water bottles, and more.

BPA leaches from food and beverage containers such as baby bottles.

Children have higher concentrations of BPA in their bodies than adults.

Over 90% of the government-funded studies on low dose exposure to BPA have resulted in adverse health effects.

Health Effects

BPA is a synthetic estrogen that can have toxic effects on the body even at low dose exposures. Over 90% of the more than 100 government-funded studies on low dose exposures to BPA have resulted in adverse health effects.⁸ Health effects that have resulted from low dose exposures include:

Developmental and Behavioral Issues:

Hyperactivity⁹, altered maternal behavior¹⁰, changes in male infant behavior¹¹, impaired learning¹², and delayed development¹³.

Reproductive Disorders:

Recurrent miscarriages¹⁴, ovarian dysfunction¹⁵, abnormalities in female eggs¹⁶, early onset puberty¹⁷, altered mammary gland development¹⁸, early vaginal opening¹⁹, reduced sperm count²⁰, increased anogenital distance²¹, and impacts on the testis.²²

Cancer:

Breast cancer²³, prostate cancer²⁴, and reduced effectiveness of chemotherapy treatments²⁵.

Heart Problems, Liver abnormalities, Diabetes, and Obesity:

Heart disease²⁶, diabetes²⁷, liver abnormalities²⁸, insulin resistance^{29,30}, obesity³¹, and heart arrhythmias³².

Later life health effects:

BPA can result in the altered behavior of over 200 genes³³, impacting the health of the body and how it responds to its environment throughout its entire life.

Primary sources of exposure:

Baby bottles

Infant and baby food containers

Water bottles

Food cans

Tupperware

Other food and beverage containers

Over 90% of the government-funded studies on low dose exposure to BPA have resulted in adverse health effects.

Source: F Vom Saal, W Welshons. Large effects from small exposures. II. The importance of positive controls in low-dose research on bisphenol A. Environmental Research 100:50-76. 2006.

Alternatives to BPA

Alternatives to BPA in food and beverage containers not only exist, but are already in use. With growing frequency, manufacturers are producing BPA-free products and seeing benefits to their bottom lines. Retailers have also joined the ranks by refusing to sell items containing BPA.

Baby bottles

Glass is a common and popular alternative for replacing the synthetic estrogen in baby bottles. For those parents concerned with breakage, many bottles come with silicone sleeves to protect against this. Plastic alternatives such as polyamide, used by Born Free, also exist.

Water bottles

Many manufacturers are opting for stainless steel, aluminum, or an alternative plastic called Tritan copolyester.

Food cans

Alternative food can linings include a natural blend of oil and resin extracted from plants (such as the balsam fir)³⁴ and polyester-based coatings.³⁵ However, finding a suitable replacement for all applications is a challenge due to the corrosive nature of highly acidic foods.

Governments Taking Action on BPA

In the last year, governments working to protect the health of children from BPA have made extraordinary progress. The Canadian government recently took steps to reduce BPA exposure in infants and newborns by banning the importation, sale, and advertising of polycarbonate baby bottles.³⁶

In the United States, Minnesota was the first state in the country to ban BPA, prohibiting its use in baby bottles and sippy cups.³⁷ Connecticut soon followed, passing an even more extensive law that prohibits the use of BPA in baby bottles, infant formula and baby food jars and cans, and reusable food and beverage containers.³⁸ And the Massachusetts Department of Public Health recently issued a public health advisory on BPA.³⁹

In addition to states, cities and towns are also taking action. The city of Chicago as well as three New York counties (Albany, Schenectady, and Suffolk) established policies that restrict the sale of BPA-tainted baby bottles and sippy cups.

Vermont Organizations that Support Banning BPA

Informed Green Solutions • Voices for Vermont's Children

Mama Says • Planned Parenthood of Northern New England

Toxics Action Center • Vermont Public Interest Research Group

Retailers that no longer sell baby bottles made with BPA:

Wal-Mart

Toys "R" Us

Whole Foods

Rite Aid Corporation

Companies that no longer sell water bottles made with BPA:

Patagonia

Kleen Kanteen

Nalgene

CamelBak

Polar Bottle

Baby bottle manufacturers that no longer use BPA:

Born Free

Avent

Disney

First Years

Gerber

Dr. Brown

Playtex

Evenflow

Food companies that use BPA-free alternatives for some products:

Liz Lovely Cookies

Heinz

Eden Foods

Vital Choice

Governments that have banned BPA

Canada

Minnesota

Connecticut

Chicago, Illinois

Albany County, New York

Schenectady County, New York

Suffolk County, New York

The Alliance for a Clean and Healthy Vermont

A coalition dedicated to protecting Vermont from toxic exposures

www.alliancevt.org • 802-223-8421

Sources

- ¹ The Work Group for Safe Markets. Baby's Toxic Bottle: BPA Leaching from Popular Baby Bottles. February 7, 2008. <http://www.chej.org/documents/BabysToxicBottleFinal.pdf>
- ² Stemp-Morlock, Graeme. Chemical Exposures: Exploring Developmental Origins of Obesity. *Environmental Health Perspectives*, May 2007. <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=1867979>
- ³ A Calafat, X Ye, L-Y Wong, JA Reidy and LL Needham. 2008. Exposure of the US population to bisphenol A and 4-tertiary-octylphenol: 2003-2004. *Environmental Health Perspectives* 116:39-44.
- ⁴ Environment and Human Health, Inc. Plastics that May Be Harmful to Children and Reproductive Health. 2008.
- ⁵ R Stahlhut, W Welshons, S Swan. Bisphenol A Data in NHANES Suggest Longer than Expected Half-Life, Substantial Nonfood Exposure, or Both. *Environmental Health Perspectives*, 117: 784-789.
- ⁶ J Carwile, H Luu, L Bassett, D Driscoll, C Yuan, J Chang, X Ye, A Calafat, K Michels. Use of Polycarbonate Bottles and Urinary Bisphenol A Concentrations. *Environmental Health Perspectives* doi: 10.1289/ehp.0900604. May 12, 2009.
- ⁷ Health Canada. Government of Canada Takes Action on Another Chemical of Concern: Bisphenol A. April 18, 2008.
- ⁸ F Vom Saal, W Welshons. Large effects from small exposures. II. The importance of positive controls in low-dose research on bisphenol A. *Environmental Research* 100:50-76. 2006.
- ⁹ M Ishido, Y Masuo, M Kunimoto, et al. Bisphenol A causes hyperactivity in the rat concomitantly with impairment of tyrosine hydroxylase immunoreactivity. *Journal of Neuroscience Research*. 76(3):423-33. 2004.
- ¹⁰ P Palanza, KL Howdeshell, S Parmigiani, F vom Saal. (202) Exposure to a low dose of bisphenol A during fetal life or in adulthood alters maternal behavior in mice. *Environ. Health Perspect.* 110:415-422. June 2002.
- ¹¹ A Nakagami, T Negishi, K Kawasaki, N Imai, Y Nishida, T Ihara, Y Kuroda, Y Yoshikawa, T Koyama. Alternations in male infant behaviors towards its mother by prenatal exposure to bisphenol A in cynomolgus monkeys (*Macaca fascicularis*) during early suckling period. *Psychoneuroendocrinology* doi:10.1016/j.psyneuen.2009.03.005.
- ¹² NJ MacLusky, T Hajszan, C Leranthe. The Environmental Estrogen Bisphenol-A Inhibits Estrogen-Induced Hippocampal Synaptogenesis. *Environmental Health Perspectives* 113:675-679; Zsarnovszky A, Le H, Wang HS, Belche S. (2005). Ontogeny of Rapid Estrogen-Mediated Extracellular Signal-Regulated Kinase Signaling in the Rat Cerebellar Cortex: Potent Nongenomic Agonist and Endocrine Disrupting Activity of the Xenoestrogen Bisphenol A. *Endocrinology*, 146: 5388-5396. 2005.
- ¹³ R Heimeier, B Das, DR Buchholz, YB Shi. The xenoestrogen bisphenol A inhibits postembryonic vertebrate development by antagonizing gene regulation by thyroid hormone. *Endocrinology* doi:10.1210/en.2008-1503. 2009.
- ¹⁴ M Sugiura-Ogasawara, Y Ozaki, S Sonta, T Makino, K Suzumori. Exposure to bisphenol A is associated with recurrent miscarriage. *Human Reproduction* 20:2325-2329. 2005.
- ¹⁵ T Takeuchi, O Tsutsumi, Y Ikezaki, Y Takai, Y Taketani. Positive relationship between androgen and the endocrine disruptor, bisphenol A, in normal women and women with ovarian dysfunction. *Endocr. J.* 51:165-169. 2004.
- ¹⁶ PA Hunt, KE Koehler, M Susiarjo, CA Hodges, A Ilagan, RC Voigt, S Thomas, BF Thomas, TJ Hassold. Bisphenol A exposure causes meiotic aneuploidy in the female mouse. *Current Biology* 13(7): 546-553. 2003.
- ¹⁷ Y Nikaido, K Yoshizawa, N Danbara, M Tsujita-Kyutoku, T Yuri, N Uehara, A Tsubara. Effects of maternal xenoestrogen exposure on development of the reproductive tract and mammary gland in female CD-1 mouse offspring. *Reprod. Toxicol.* 18:803-811. 2004.
- ¹⁸ T Murraya, V Maricel, A Maffinia, et al. (2007). Induction of mammary gland ductal hyperplasias and carcinoma in situ following fetal bisphenol A exposure. *Reproductive Toxicology* Volume 23, Issue 3, April-May 2007, Pages 383-390. 2007.
- ¹⁹ S Honma, A Suzuki, DL Buchanan, et al. Low dose effect of in utero human exposure to bisphenol A and diethylstilbestrol on female mouse reproduction. *Reproductive Toxicology*. 16:117-22. 2002.

-
- ²⁰ F vom Saal, PS Cooke, DL Buchanan, et al. A physiologically based approach to the study of bisphenol A and other estrogenic chemicals on the size of reproductive organs, daily sperm production, and behavior. *Toxicol Ind Health* 14:239–260. Medline. 1998.
- ²¹ C Gupta. Reproductive malformation of the male offspring following maternal exposure to estrogenic chemicals. *Proc Soc Exp Biol Med.* Jun;224(2):61-8. 2000.
- ²² K Kawai, N Takehiro, H Nishikata, et al. Aggressive behavior and serum testosterone concentration during the maturation process of male mice: The effects of fetal human exposure to bisphenol A. *Environmental Health Perspectives.* 111:175-8. Medline. 2003.
- ²³ S Jenkins, N Raghuraman, I Eltoun, M Carpenter, J Russo, C Lamartiniere. Oral Exposure to Bisphenol A Increases Dimethylbenzanthracene-Induced Mammary Cancer in Rats. *Environmental Health Perspectives* 117:910-915. Doi:10.1289/ehp.11751. 2009.
- ²⁴ YB Wetherill, CE Petre, KR Monk, et al. The Xenoestrogen Bisphenol A Induces Inappropriate Androgen Receptor Activation and Mitogenesis in Prostatic Adenocarcinoma Cells. *Molecular Cancer Therapeutics*, 1:515–524. 2002.
- ²⁵ Byrne, Jane. US Study Claims BPA Induces Chemotherapy Resistance. October 9, 2008. *Food Production Daily*.
- ²⁶ I Lang, T Galloway, A Scarlett, W Henley, M Depledge, et al. Association of Urinary Bisphenol A Concentration With Medical Disorders and Laboratory Abnormalities in Adults. *The Journal of the American Medical Association*. 2008.
- ²⁷ I Lang, T Galloway, A Scarlett, W Henley, M Depledge, et al. Association of Urinary Bisphenol A Concentration With Medical Disorders and Laboratory Abnormalities in Adults. *The Journal of the American Medical Association*. 2008.
- ²⁸ I Lang, T Galloway, A Scarlett, W Henley, M Depledge, et al. Association of Urinary Bisphenol A Concentration With Medical Disorders and Laboratory Abnormalities in Adults. *The Journal of the American Medical Association*. 2008.
- ²⁹ P Alonso-Magdalena, S Morimoto, C Ripoll, et al. The Estrogenic Effect of Bisphenol-A Disrupts the Pancreatic β -Cell Function in vivo and Induces Insulin Resistance. *Environmental Health Perspectives* 114:106-112. 2006.
- ³⁰ AB Ropero, P Alonso-Magdalena, E García-García, et al. Bisphenol-A disruption of the endocrine pancreas and blood glucose homeostasis. *Int J Androl.* Apr; 31(2):194-200. 2008.
- ³¹ J Miyawaki J, Sakayama K, Kato H. Perinatal and postnatal exposure to bisphenol A increases adipose tissue mass and serum cholesterol level in mice. *Atheroscler Thromb.* Oct;14(5):245-52. Epub 2007, Oct 12. 2007.
- ³² Raloff, Janet. Concerns over bisphenol A continue to grow: New studies of plastics chemical measure effects, exposures. *ScienceNews*. July 18, 2009. Vol.176 #2 (p.5).
- ³³ Meyers, Pete. Good Genes Gone Bad. *The American Prospect*. March 19, 2006. Available at <http://www.prospect.org/cs/articles?articleId=11315> (Accessed on August 18, 2009).
- ³⁴ Balin, Paul. Byrne, Margaret. Lewis, Sandford. Liroff, Richard. Public Awareness Drives Market for Safer Alternatives. *Investor Environmental Health Network*. September 15, 2008.
- ³⁵ Green Century Capital Management, As You Sow. Seeking Safer Packaging: Ranking Packaged Food Companies on BPA. 2009.
- ³⁶ Health Canada. Government of Canada Protects Families with Bisphenol A Regulations. October 17, 2008.
- ³⁷ An act relating to public health; protecting the health of children; prohibiting bisphenol-A in products for young children; proposing coding for new law in Minnesota Statutes, chapter 325F. Available at http://chemicalspolicy.org/legislationdocs/Minnesota/MN_SF247.pdf (Accessed on August 19, 2009)
- ³⁸ Public Act No. 09-103. An Act Concerning Banning Bisphenol-A in Children's Products and Food Products. Available at http://chemicalspolicy.org/legislationdocs/Connecticut/CT_HB6572.pdf (Accessed on August 19, 2009)
- ³⁹ Massachusetts Department of Public Health. Public Health Advisory Regarding Bisphenol A (BPA). August 3, 2009. Available at: http://www.mass.gov/?pageID=eohhs2pressrelease&L=1&L0=Home&sid=Eeohhs2&b=pressrelease&f=090803_bpa_advisory&csid=Eeohhs2 (Accessed on August 17, 2009)